

	DETAILS	PRODUCTION / APPLICATION	CARE INSTRUCTIONS / ACCESSORIES
	Applies to: • 100% cotton • Poly/cotton blends • 100% polyester • Leather <hr/> Blade: 45°/60° Composition: PU Microns/Mils: 90/3.5	• Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply design • Peel backing <hr/> Temp: 305° F/150° C Pressure: Medium Time: 10-15 sec. Peel: HOT/COLD	• Wait 24 hours before first wash • Machine wash warm or cold / mild detergent • Do not bleach • Do not dry clean • Dry on normal setting <hr/> Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet
	Applies to: • 100% cotton • Poly/cotton blends • 100% polyester • Leather • Nylon <hr/> Blade: 45°/60° Composition: PU Microns/Mils: 90/3.5	• Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply design • Peel backing <hr/> Temp: 305° F/150° C Pressure: Medium Time: 10-15 sec. Peel: HOT/COLD	• Wait 24 hours before first wash • Machine wash warm or cold / mild detergent • Do not bleach • Do not dry clean • Dry on normal setting <hr/> Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet
	Applies to: • 100% cotton • Poly/cotton blends • 100% polyester • Leather <hr/> Blade: 45°/60° Composition: PU Microns/Mils: 90/3.5	• Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply design • Peel backing <hr/> Temp: 305° F/150° C Pressure: Medium Time: 15 sec. Peel: HOT/COLD	• Wait 24 hours before first wash • Machine wash warm or cold / mild detergent • Do not bleach • Do not dry clean • Dry on normal setting <hr/> Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet
	Applies to: • 100% cotton • Poly/cotton blends • 100% polyester • Leather • Lycra®/spandex <hr/> Blade: 45°/60° Composition: PU Microns/Mils: 90/3.5	• Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply design • Peel backing <hr/> Temp: 305° F/150° C Pressure: Medium-Firm Time: 15 sec. Peel: HOT/COLD	• Wait 24 hours before first wash • Machine wash warm or cold / mild detergent • Do not bleach • Do not dry clean • Dry on normal setting <hr/> Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet
	Applies to: • 100% cotton • Poly/cotton blends • 100% polyester Shrinkage of textile due to laundering will cause wrinkling and dulling of sheen <hr/> Blade: 45°/60° Composition: PU Microns/Mils: 100/3.9	• Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply design • Peel backing <hr/> Temp: 275° F/135° C Pressure: Medium Time: 15 sec. Peel: WARM	• Wait 24 hours before first wash • Machine wash cold / mild detergent • Do not bleach • Do not dry clean • Hang item to dry <hr/> Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet
	Applies to: • 100% polyester • Sublimated polyester <hr/> Blade: 45°/60° Composition: PU Microns/Mils: 110/4.3	• Cut in reverse and weed design • Apply design • Peel backing <hr/> Temp: 265° F/130° C Pressure: Medium-Firm Time: 15 sec. Peel: COLD	• Wait 24 hours before first wash • Machine wash cold / mild detergent • Do not bleach • Do not dry clean • Hang item to dry <hr/> Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet
	Applies to: • 100% cotton • Poly/cotton blends • 100% polyester <hr/> Blade: 45°/60° Composition: PET Microns/Mils: 75/2.95	• Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply adhesive • Peel backing • Apply top layer (foil, twill, patterned fabric, etc.) <hr/> Temp: 275° F/135° C Pressure: Medium Time: 5 sec. Peel: HOT	• Wait 24 hours before first wash • Machine wash cold / mild detergent • Do not bleach • Do not dry clean • Hang item to dry <hr/> Recommended Accessories: Siser weeder, multipurpose paper, or heat transfer cover sheet
	Applies to: • 100% cotton • Poly/cotton blends • 100% polyester • Leather <hr/> Blade: 45°/60° Composition: PU Microns/Mils: 325/12.8	• Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply design • Peel backing Can be used as a top layer for other materials. Do not layer Glitter on Glitter <hr/> Temp: 320° F/160° C Pressure: Firm Time: 10-15 sec. Peel: WARM	• Wait 24 hours before first wash • Machine wash warm or cold / mild detergent • Do not bleach • Do not dry clean • Turn inside out • Dry on normal setting <hr/> Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet

*Due to variances in the manufacturing process of fabrics, Siser highly recommends testing prior to production.

	DETAILS	PRODUCTION / APPLICATION	CARE INSTRUCTIONS / ACCESSORIES
	<p>Applies to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% polyester • Leather <hr/> <p>Blade: 45°/60° Composition: PVC Microns/Mils: 175/6.8</p>	<ul style="list-style-type: none"> • Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply design • Peel backing <hr/> <p>Temp: 305° F/150° C Pressure: Medium-Firm Time: 15 sec. Peel: COLD</p>	<ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm / mild detergent • Do not bleach • Do not dry clean • Turn inside out • Dry on normal setting <hr/> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Applies to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% polyester • Leather • Sublimated polyester <hr/> <p>Blade: 45°/60° Composition: PVC Microns/Mils: 410/16.1</p>	<ul style="list-style-type: none"> • Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply design • Peel backing <hr/> <p>Temp: 320° F/160° C Pressure: Medium Time: 15-20 sec. Peel: COLD</p>	<ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm or cold / mild detergent • Do not bleach • Do not dry clean • Dry on normal setting • Turn inside out <hr/> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Applies to:</p> <ul style="list-style-type: none"> • 100% polyester • Poly/cotton blends • Leather <hr/> <p>Blade: 45°/60° Composition: PU Microns/Mils: 110/4.3</p>	<ul style="list-style-type: none"> • Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply design • Peel backing, <hr/> <p>Temp: 305° F/150° C Pressure: Medium Time: 10-15 sec. Peel: COLD</p>	<ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm or cold / mild detergent • Do not bleach • Do not dry clean • Dry on normal setting • Turn inside out <hr/> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Applies to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% polyester • Leather <hr/> <p>Blade: 45°/60° Composition: Polyester/Metalized Foil Microns/Mils: 110/4.3</p>	<ul style="list-style-type: none"> • Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply design • Peel backing <hr/> <p>Temp: 320° F/160° C Pressure: Medium Time: 15-20 sec. Peel: COLD</p>	<ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm or cold / mild detergent • Do not bleach • Do not dry clean • Hang item to dry <hr/> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Applies to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% polyester • Lycra®/spandex <p>Due to the thickness of the material, expose a significant amount of the blade tip before cutting.</p> <hr/> <p>Blade: 60° Composition: PU Microns/Mils: 1000/39.3</p>	<ul style="list-style-type: none"> • Cut in reverse and weed design • Preheat garment for 2-3 seconds • Tack design for 5 seconds on face • Turn inside out and heat for 15 seconds on adhesive side <hr/> <p>Temp: 311° F/155° C Pressure: Medium-Firm Time: 15-20 sec. Peel: COLD</p>	<ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm or cold / mild detergent • Do not bleach • Do not dry clean • Hang item to dry <hr/> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Applies to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% polyester • Lycra®/spandex • Leather <hr/> <p>Blade: 45°/60° Composition: PU Microns/Mils: 160/6.2</p>	<ul style="list-style-type: none"> • Remove clear liner • Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply for 5 seconds, peel HOT, recover and heat for 10 seconds <hr/> <p>Temp: 305° F/150° C Pressure: Medium Time: 5 sec. Peel: HOT</p>	<ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm or cold / mild detergent • Do not bleach • Do not dry clean • Dry on normal setting • Turn inside out <hr/> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Applies to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% polyester • Leather <hr/> <p>Blade: 45°/60° Composition: PET Microns/Mils: 110/4.3</p>	<ul style="list-style-type: none"> • Remove pink liner • Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply for 2 seconds, peel COLD, recover and heat for 10 seconds <hr/> <p>Temp: 320° F/160° C Pressure: Medium Time: 10 sec. Peel: WARM</p>	<ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm or cold / mild detergent • Do not bleach • Do not dry clean • Can be machine dried on low but hanging item to dry will preserve reflective quality <hr/> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Applies to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% polyester • Leather <hr/> <p>Blade: 45°/60° Composition: PET Microns/Mils: 100/3.9</p>	<ul style="list-style-type: none"> • Cut in reverse and weed design • Preheat garment for 2-3 seconds • Apply design • Peel backing <hr/> <p>Temp: 305° F/150° C Pressure: Medium Time: 10-15 sec. Peel: COLD</p>	<ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm or cold / mild detergent • Do not bleach • Do not dry clean • Dry on normal setting • Turn inside out <hr/> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>

*Metallic is a unique product - cracking and delamination may occur after washing. Results are not predictable.